NAME OF THE PARTY:

LIMITED TENDER

Preamble Of Tender:- Electronics Corporation of Tamil Nadu Limited (ELCOT), a wholly owned Government of Tamil Nadu Undertaking is the Optional Procurement Agency of the Government of Tamil Nadu for procurement of IT related products like Computers, Printers, Other Peripherals and Software as per G.O. Ms. No. 58, Finance (BPE) Department, Dated 16.02.1999. Accordingly, ELCOT has been procuring various IT related products to all the State Government Departments / Boards / Autonomous Bodies etc. As part of the Procurement activities, ELCOT floats this tender inviting bid for the Supply and installation of additional IT Peripherals for Display Boards inside and outside the Court Halls for Madras High Court.

Short Title used in the Tender Document:

- 1. <u>Bidder:</u> Bidder means the party who makes a formal offer in pursuance of the tender floated.
- 2. <u>Successful Bidder</u>: Successful Bidder means the Bidder who becomes Successful through the tender process.
- 3. <u>Day:</u> A day means a Calendar Day.
- 4. <u>Purchaser:</u> Purchaser means the end user for whom the procurement is indented through the tender.

Tender Schedule:

a)	Tender No	ELCOT/PROC/LT/33785/2023-24		
b)	Type of Tender	LIMITED TENDER – Single part bid		
c)	Tendered Items	Supply and installation of additional IT Peripherals for Display Boards inside and outside the Court Halls for Madras High Court		
d)	Delivery	High Court, Madras		
e)	Due Date & Time for Submission of Tenders	27.02.2024 @ 3.00 PM.		
f)	Opening Date & Time	27.02.2024 @ 4.00 PM.		

<u>EMD:</u> The EMD Amount of Rs.5,000/-(Rupees Five Thousand Only) along with bid should be submitted through Demand draft drawn in favor of "Electronics Corporation of Tamil Nadu Limited", Chennai. (OR) through NEFT/RTGS to the Following Bank Account, (or) EMD is waived off for the bidder having valid MSME/NSIC/SSI for the relevant category.

Name of the Bank & Branch	State Bank of India, Saidapet
SBI A/c No.	10610747091
IFS Code	SBIN0000912
MICR No.	600002045

MODE OF DESPATCH: Tenders should be addressed to the **MANAGING DIRECTOR** – **ELCOT** (by Designation only) and super scribed with the tender number and sent in sealed cover either by Registered post with acknowledgment due or in person. Tenders received in ordinary cover without seal will not be considered. Bids received after the due date and Time will not be accepted. Delay in postal transit will not be accepted as a valid reason for late submission. The Tender Document is not transferable to any other bidder.

<u>IMPORTANT NOTE:</u> TENDERER MUST SUBMIT THIS ORIGINAL TENDER DOCUMENT WITH THEIR SIGNATURE, AND SEAL WITHOUT MISSING ANY OF THE PAGES. Price bid must be submitted in the bidder's company letter head.

The tenders received on SPECIFIED DUE DATE &TIME will be opened at **ELCOT**, 692, Anna Salai, Nandanam, Chennai – 600 035 in the presence of the bidders who choose to be present. If sufficient response is not received on the due date of opening, ELCOT reserves its right to extend the due date for submission of tenders inviting more bids or cancel the tender.

Items Tendered:

SL.	Product	Description	Qty
No.	Code		
(1)	(2)	(3)	(4)
1	33785-001	65" Display Outer enclosure / Acrolic Sheet	6
2	33785-002	XLR Male-Female 25 mtrs	4
3	33785-003	XLR Male-Female 15 mtrs	4
4	33785-004	XLR Male-Female 5 mtrs	4
5	33785-005	Stereo to Phono 10 mtrs	4

SL.	Product	Description	Qty
No.	Code		
(1)	(2)	(3)	(4)
6	33785-006	Stereo to Phono 5 mtrs	2
7	33785-007	Stereo to XLR male 5 mtrs	2
8	33785-008	Stereo to XLR female 5 mtrs	2
9	33785-009	Phono to XLR male 5 mtrs	2
10	33785-010	Phono to XLR female 5 mtrs.	2
11	33785-011	SDI to HDMI Bi-Directional Converter	6
12	33785-012	SDI Cable 10 Mtrs.	3
13	33785-013	SDI Cable 5 Mtrs.	6
14	33785-014	XLR to RCA 5 mtrs	2
15	33785-015	Phono to RCA 5 mtrs.	4
16	33785-016	Video Capture card – Aver Media (Latest Configuration) HDMI/SDI IN+Audio Out & In + USB Output	1
17	33785-017	Stereo female to RCA 5 mtrs	4
18	33785-018	Streming Video Encoder – Data Video (Latest Configuration)	1
19	33785-019	Wi-Fi Router 2/5 Ghz Support	5
20	33785-020	Memory Card 256 GB	2
21	33785-021	Polycom Pad Mic	4
22	33785-022	Polycom Pad Mic cable with 10 mtrs.	4
23	33785-023	Handy CAM with HDMI output	1
24	33785-024	VGA to DVI cable adapter	5
25	33785-025	Google Chrome cast media streming deivce	1
26	33785-026	USB to HDMI Converter	1

1) **Delivery and Installation:** Within 6 weeks from the date of issue of purchase order.

2) <u>Validity of the Tender</u>: The prices are to be kept valid for acceptance for 90 days from the date of opening of the tender.

3) <u>**Payment Terms**</u>: (a) 100% of the total cost of ordered items will be paid by ELCOT on behalf of the purchaser, after receipt of funds from the purchaser, on delivery, installation and commissioning and submission of an irrevocable Bank Guarantee for 5% of the cost of the order value valid for 39 months from the date of supply.

(OR)

(b) 95% of the total cost of ordered items will be paid by ELCOT on behalf of the purchaser, after receipt of funds from the purchaser, on supply, installation and commissioning and handing over of the ordered items to the Purchaser and the balance 5% will be released to the supplier after completion of warranty period. This 5 % of the purchase order value will be retained as performance Security Deposit and will be returned to the bidder only after the successful completion of the tender conditions.

4) <u>Liquidated Damages for Non-Fulfillment of Purchase Order:</u> 0.25% per day on the undelivered portion of the value subject to a maximum of 10%, if the supply, installation and commissioning has not been completed in full within the stipulated delivery period.

5) PENALTY FOR NON-FULFILLMENT OF CONDITIONS:

In the event of non-fulfillment or non-observance of any of the conditions stipulated in the tender document and Purchase order, the successful bidder should pay the penalty amount equivalent to 10 (ten) per cent of total value of purchase order or an amount equal to the actual loss incurred by the purchaser whichever is higher.

6) <u>Warranty:</u> 3 years from the date of installation.

SPECIFICATIONS

Make		
Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	Outer Encloser should Complatable for Display upto 65"	(163/140)
2	MS Iron Frame with clear white & Thick Acrylic Sheet	
2. XLF Make Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	XLR male 3 pin connector	
2	XLR female 3 pin connector	
3	Cable Length: 25 Meters	
4	High quality shielded microphone cable	
3. XLF Make	R Male-Female 15mtrs	
		Technical Compliance (Yes/No)
Mode SI.	əl:	-
Mode SI. No.	Description	-
Mode SI. No.	Description XLR male 3 pin connector	-
Mode SI. No. 1 2 3 4. XLF Make	Description XLR male 3 pin connector XLR female 3 pin connector Cable Length: 15 Meters R Male-Female 5mtrs ::	-
Mode SI. No. 1 2 3 4. XLF	Description XLR male 3 pin connector XLR female 3 pin connector Cable Length: 15 Meters R Male-Female 5mtrs ::	-
Viode SI. No. 1 2 3 4. XLF Viake Viode SI.	Description XLR male 3 pin connector XLR female 3 pin connector Cable Length: 15 Meters R Male-Female 5mtrs ::	(Yes/No)
Viode SI. No. 1 2 3 4. XLF Viake Viode SI. No.	Description XLR male 3 pin connector XLR female 3 pin connector Cable Length: 15 Meters R Male-Female 5mtrs e: bescription	(Yes/No)

J. J.C	ereo to Phono 10 mtrs	
Make	::	
Mode	əl:	
SI. No.	Description	Technical Compliance (Yes/No)
1	Moulded 6.35 mm stereo Connector	
2	Moulded 3.5 mm stereo connector	
3	Cable Length: 10 Meters	
6. Ste	ereo to Phono 5 mtrs	
Make		
Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	Moulded 6.35 mm stereo Connector	
2	Moulded 3.5 mm stereo connector	
2 3	Moulded 3.5 mm stereo connector Cable Length: 5 Meters	
3 7. Ste Make	Cable Length: 5 Meters ereo to XLR Male 5 mtrs e:	
3	Cable Length: 5 Meters ereo to XLR Male 5 mtrs e:	Technical Compliance (Yes/No)
3 7. Ste Make Mode Sl.	Cable Length: 5 Meters ereo to XLR Male 5 mtrs e: el:	-
3 7. Ste Make Mode SI. No.	Cable Length: 5 Meters ereo to XLR Male 5 mtrs e: el: Description	-
3 7. Ste Make Mode SI. No. 1	Cable Length: 5 Meters ereo to XLR Male 5 mtrs e: el: Description XLR male 3 pin connector	-
3 7. Ste Make SI. No. 1 2 3 8. Ste Make	Cable Length: 5 Meters ereo to XLR Male 5 mtrs :: al: Description XLR male 3 pin connector Moulded 3.5 Stereo male Connector Cable Length: 5 Meters ereo to XLR Female 5 mtrs ::	-
3 7. Ste Make Mode SI. 1 2 3 8. Ste Make Mode SI.	Cable Length: 5 Meters ereo to XLR Male 5 mtrs :: al: Description XLR male 3 pin connector Moulded 3.5 Stereo male Connector Cable Length: 5 Meters ereo to XLR Female 5 mtrs ::	(Yes/No)
3 7. Ste Make Mode SI. 1 2 3 8. Ste Make	Cable Length: 5 Meters Pereo to XLR Male 5 mtrs Pereo to XLR Male 5 mtrs Pereo to XLR male 3 pin connector XLR male 3 pin connector Moulded 3.5 Stereo male Connector Cable Length: 5 Meters Pereo to XLR Female 5 mtrs Pereo to XLR Female 5 mtrs Pereo to SLR Female 5 mtrs Pereo to SLR Female 5 m	(Yes/No)
3 7. Ste Make Mode SI. 1 2 3 8. Ste Make SI. No.	Cable Length: 5 Meters Preo to XLR Male 5 mtrs Preo to XLR Male 5 mtrs Cable Length: 5 mtrs Cable Length: 5 Meters Preo to XLR Female 5 mtrs Cable Length: 5 Meters Cable Length: 5 Meters Cable Length: 5 mtrs Cab	(Yes/No)

Mode	ono to XLR Male 5 mtrs :: el:	
SI. No.	Description	Technical Compliance (Yes/No)
1	XLR female 3 pin connector	
2	Moulded 6.35 mono Connector	
3	Cable Length: 5 Meters	
10. P Make Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	XLR female 3 pin connector	
2	Moulded 6.35 mono Connector	
~	Cable Length: 5 Meters	
3	5	
	DI to HDMI Bi-Directional Center	
11. S Make Mode SI.	DI to HDMI Bi-Directional Center	-
11. S Make Mode	DI to HDMI Bi-Directional Center e: el:	Technical Compliance (Yes/No)
11. Si Make Mode Si. No.	DI to HDMI Bi-Directional Center e: el: Description	-
11. S Make <u>Mode</u> SI. No.	DI to HDMI Bi-Directional Center :: el: Description Input: HDMI×1; REF×1 (Black Burst, Tri-Level Sync)	-

12. SI		
Make		
Mode SI.	Description	Technical Compliance
No.		(Yes/No)
1	High quality Audio SDI cable	
2	Cable Length: 10 Meters	
Make		
Mode Sl.	el: Description	Technical Compliance
No.		(Yes/No)
1	High quality Audio SDI cable	
2 L4. XI Make	Cable Length: 5 Meters LR to RCA 5 Mtrs E:	
2 L4. XI Vake Vode SI.	Cable Length: 5 Meters LR to RCA 5 Mtrs E:	_
2 L4. XI Vlake Vlode SI. No.	Cable Length: 5 Meters LR to RCA 5 Mtrs e: el: Description	Technical Compliance (Yes/No)
2 I.4. XI Vlake Vlode SI. No. 1	Cable Length: 5 Meters LR to RCA 5 Mtrs E: El: Description XLR male 3 pin connector	
2 L4. XI Vlake Vlode Sl. No.	Cable Length: 5 Meters LR to RCA 5 Mtrs e: el: Description	_
2 I.4. XI Vake Vlode SI. 1 2 3 I.5. Pl Vake	Cable Length: 5 Meters LR to RCA 5 Mtrs Cable Length: 5 Meters Cable Length: 5 Meters XLR male 3 pin connector XLR male 3 pin connector Cable Length: 5 Meters hono to RCA 5 Mtrs Cable Length: 5 Meters	
2 I.4. XI Vake Vode SI. 1 2 3 I.5. Pl Vake Vode	Cable Length: 5 Meters LR to RCA 5 Mtrs LR male 3 pin connector XLR male 3 pin connector Moulded RCA Connector Cable Length: 5 Meters hono to RCA 5 Mtrs L	(Yes/No)
2 I.4. XI Vake Vode SI. 1 2 3 I.5. Pl Vake Vode	Cable Length: 5 Meters LR to RCA 5 Mtrs Cable Length: 5 Meters Cable Length: 5 Meters XLR male 3 pin connector XLR male 3 pin connector Cable Length: 5 Meters hono to RCA 5 Mtrs Cable Length: 5 Meters	
2 Vake Vode SI. No. 1 2 3 L5. Pl Vake SI.	Cable Length: 5 Meters LR to RCA 5 Mtrs LR male 3 pin connector XLR male 3 pin connector Moulded RCA Connector Cable Length: 5 Meters hono to RCA 5 Mtrs L	(Yes/No)
2 I.4. XI Vake Vode SI. 1 2 3 I.5. Pl Vake SI. No.	Cable Length: 5 Meters Cable Length: 5 Meters LR to RCA 5 Mtrs Cable Length: 5 Meters XLR male 3 pin connector XLR male 3 pin connector Cable Length: 5 Meters hono to RCA 5 Mtrs Cable Length: 5 Meters Description	(Yes/No)

	deo Capture Card - Aver Media (Latest Configuration) H	DMI/SDI IN+Audio Out &
	SB Output	
Make		
Mode		
SI.	Description	Technical Compliance
No.		(Yes/No)
1	Host Interface: USB 3.0	
2	Audio Interface: HDMI / L R	
3	Audio Format: LPCM / PCM	
4	Audio Sampling Rate: Audio L/R: 48KHz, 16bit	
	HDMI: 32KHz, 44.1KHz, 48KHz, 16bit	
5	Input Interface: HDMI, DVI, VGA, SDI, S-Video,	
6	Video Format: YUY2 (4:2:2) RGB24(Supported by SDK)	
7	Encoding Mode: Software Encoding	
8	Supported OS: Windows 7/8.1/10	
Mode Sl. No.	l: Description	Technical Compliance (Yes/No)
1	High quality Audio Stereo to RCA cable	(185/100)
2	Cable Length: 5 Meters	
2		
18. St Make Mode)
SI.	Description	Technical Compliance
No.		(Yes/No)
1	Video Input: HDMI x1; SDI x1;	
2	Video Output: Support Down Scaling to 128x128	
3	Resolution: 1080p 60/59.94/50 1080p	
	30/29.97/25/24/23.98 1080i 60/59.94/50 720p	
<u> </u>	60/59.94/50 480i 59.94, 576i 50	
4	Encode: H.264/AVC, Main/High Profile Level 4.1	
5	Streaming Protocols: TS over TCP/UDP (unicast & multicast) RTSP over HTTP/TCP/UDP (RTSP Elementary Streaming) RTMP/RTMPS (Publish) SRT	

Network Interface: 1x RI45 (10/100Mbns Ethernet)	
• ••	
:	
l:	I
Description	Technical Compliance
	(Yes/No)
Wireless VPN router, with 2x2 802.11ac wireless	
Ethernet WAN: 1 RJ-45 SFP Gigabit Ethernet combination port	
Ethernet LAN: 4 RJ-45 Gigabit Ethernet ports	
VLANs: 16; Port security: 802.1X;	
WAN: Dynamic Host Configuration Protocol (DHCP) client,	
static IP, Point-to-Point Protocol over Ethernet (PPPoE),	
PPTP, Layer 2 Tunneling Protocol (L2TP)	
WLAN: 2x2 wireless 802.11ac	
emory Card 256 GB	
:	
l:	
Description	Technical Compliance
	(Yes/No)
Capacity: 256GB	
Performance: read speed up to 120MB/s, write speed up to 45MB/s	
Operating Temperature: 0° ~ 70° C	
Storage Temperature: -25° ~ 85° C (-13°F ~ 185°F)	
Speed Class: Class10, U3, V30	
blycom Pod Mic	
blycom Pod Mic cable with 10 Mtrs	
Sycom Fou whe cubic with 10 withs	
	Wireless VPN router, with 2x2 802.11ac wireless Ethernet WAN: 1 RJ-45 SFP Gigabit Ethernet combination port Ethernet LAN: 4 RJ-45 Gigabit Ethernet ports VLANs: 16; Port security: 802.1X; WAN: Dynamic Host Configuration Protocol (DHCP) client, static IP, Point-to-Point Protocol over Ethernet (PPPOE), PPTP, Layer 2 Tunneling Protocol (L2TP) WLAN: 2x2 wireless 802.11ac emory Card 256 GB : Capacity: 256GB Performance: read speed up to 120MB/s, write speed up to 45MB/s Operating Temperature: 0° ~ 70° C Storage Temperature: -25° ~ 85° C (-13°F ~ 185°F)

23. Ha	andy CAM with HDMI Output	
Make	:	
Mode	l:	
SI. No.	Description	Technical Compliance (Yes/No)
1	Camera Image Sensor: 1/2.5-inch BSI MOS Sensor	
2	Total Pixels: 8.57 megapixels	
3	Optical Zoom: 24x	
4	Focal Length: 4.12 – 98.9 mm	
5	Recording Media: SD/SDHC/SDXC Memory Card	
6	Recording Format: [AVCHD] AVCHD Progressive[MP4] MP4	
7	Compression Method: MPEG-4 AVC/H.264	
8	Audio Recording System: AVCHD: Dolby Audio (5.1ch / 2ch) MP4: AAC (2ch)	
24. VC Make Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	Connectors: VGA male connectors on both ens	
2	Ferrite: Moulded ferrite on both ends	
3	Conductor gauge: 28 awg	
4	Resolutions supported: 1920*1201	
25. Go	oogle Chrome cast Media Streaming Device	
26. US Make Mode		
SI. No.	Description	Technical Compliance (Yes/No)
1	Host Interface: USB 3.0	
2	Video Interface: HDMI	
3	Connectivity: Up to 6 adapters on a computer	
4	Compatibility: Windows XP, Windows 7, Windows 8/8.1/10, Mac OS	
5	Compliance: CE. FCC	

ELCOT/PROC/LT/33785/2023-24

PRICE BID:

Nar	ne of the bido	der:						
SL No	Product Code	Description	Qty. in Nos.	Unit Price (including Packing, Forwarding, Insurance) without Taxes Rs.	Applicable GST in %	Applicable GST in Rs.	Unit Price inclusive of GST (5+7)	Total Amount in Rs. (4 X 8)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1	33785-001	65" Display Outer enclosure / Acrolic Sheet	6					
2	33785-002	XLR Male-Female 25 mtrs	4					
3	33785-003	XLR Male-Female 15 mtrs	4					
4	33785-004	XLR Male-Female 5 mtrs	4					
5	33785-005	Stereo to Phono 10 mtrs	4					
6	33785-006	Stereo to Phono 5 mtrs	2					
7	33785-007	Stereo to XLR male 5 mtrs	2					
8	33785-008	Stereo to XLR female 5 mtrs	2					
9	33785-009	Phono to XLR male 5 mtrs	2					
10	33785-010	Phono to XLR female 5 mtrs.	2					
11	33785-011	SDI to HDMI Bi-Directional	6					
		Converter						
12	33785-012	SDI Cable 10 Mtrs.	3					
13	33785-013	SDI Cable 5 Mtrs.	6					
14	33785-014	XLR to RCA 5 mtrs	2					
15	33785-015	Phono to RCA 5 mtrs.	4					
16	33785-016	Video Capture card – Aver Media (Latest Configuration) HDMI/SDI IN+Audio Out & In + USB Output	1					

ELCOT/PROC/LT/33785/2023-24

Name of the bidder:								
SL No	Product Code	Description	Qty. in Nos.	Unit Price (including Packing, Forwarding, Insurance) without Taxes Rs.	Applicable GST in %	Applicable GST in Rs.	Unit Price inclusive of GST (5+7)	Total Amount in Rs. (4 X 8)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
17	33785-017	Stereo female to RCA 5 mtrs	4					
18	33785-018	Streaming Video Encoder – Data Video (Latest Configuration)	1					
19	33785-019	Wi-Fi Router 2/5 Ghz Support	5					
20	33785-020	Memory Card 256 GB	2					
21	33785-021	Polycom Pad Mic	4					
22	33785-022	Polycom Pad Mic cable with 10 mtrs.	4					
23	33785-023	Handy CAM with HDMI output	1					
24	33785-024	VGA to DVI cable adapter	5					
25	33785-025	Google Chrome cast media streaming device	1					
26	33785-026	USB to HDMI Converter	1					
		Total						